

ARCHETTO FLEXIBLE

design Gianfranco Marabese 2012
INDOOR COLLECTION





Archetto Flexible, disponibile in tre dimensioni, si caratterizza per la sua struttura luminosa che si flette e permette di creare archi e curve, a luce diretta e indiretta. La dimensione finale è variabile, dipendente dalla curva che si vuole imprimere. L'acciaio armonico 'coestruso' con il silicone, attraverso una tecnologia brevettata, non mantiene la memoria della forma impressa, tornando sempre nella posizione retta: per rinnovarsi nelle forme ogni volta che si desidera.

Archetto Flexible, available in 3 dimensions, it is characterized by its luminous structure that flexes and allows the creation of arcs and curves, with direct and indirect light. The final size is variable, depending on the curve to be impressed. The spring steel co-extruded with silicone through a patented technology, does not retain memory of the curve imprinted and always returns to its upright position, in order to renew the forms whenever you want.



ARCHETTO FLEXIBLE SOLUTIONS



Direzione luminosa/
Light's direction



Silicone-graphene
2,5

1,8

Barra in acciaio
armonico e strip LED
incorporate/
Flexible steel bar
and LED strip
integrated/



WA/WR/WS: Particolare dell'attacco
WA/WR/WS: Mounting's detail

WR3*/WS3*: solo per uso a parete in verticale e soffitto
WR3*/WS3*: only as vertical wall and ceiling use

Misure espresse in cm/Measurements in cm

WR1 3k white	34W-1185Lm	Cod. ARCWR1CRBICA	24V Alimentatore non incluso/ Driver needed not included
WR1 RGB	23W	Cod. ARCWR1CRRGB	24V Alimentatore non incluso/ Driver needed not included
WR2 3k white	50W-1800Lm	Cod. ARCWR2CRBICA	24V Alimentatore non incluso/ Driver needed not included
WR2 RGB	35W	Cod. ARCWR2CRRGB	24V Alimentatore non incluso/ Driver needed not included
WR3 3k white	70W-2470Lm	Cod. ARCWR3CRBICA	24V Alimentatore non incluso/ Driver needed not included
WR3 RGB	48W	Cod. ARCWR3CRRGB	24V Alimentatore non incluso/ Driver needed not included

LED 4000K su richiesta



F1 white/Dim.	50W-1800Lm	Cod. ARCF01CRCA/DIM	24V Driver on the wire/wireless dimm.
F1 RGB	35W	Cod. ARCF01CRRGB	24V D. on the wire/Controller incl.
F2 white/Dim.	70W-2470Lm	Cod. ARCF02CRCA/DIM	24V Driver on the wire/wireless dimm.
F2 RGB	48W	Cod. ARCF02CRRGB	24V D. on the wire/Controller incl.

LED 4000K su richiesta





Ariston Hotel, Milan, Italy

